



Health and safety at work Summary statistics for Great Britain 2017

Key facts III health Injury Costs to Britain Industries European comparisons

Injury

Costs to Britain

III health



Work-related ill health cases (new or long-standing) in 2016/17

Source: Estimates based on self-reports from the Labour Force Survey, people who worked in the last 12 months



Non-fatal injuries to workers in 2016/17

Source: Estimates based on self-reports from the Labour Force Survey



Industries

Work-related stress, depression or anxiety cases (new or longstanding) in 2016/17

Source: Estimates based on self-reports from the Labour Force Survey, people who worked in the last 12 months



Non-fatal injuries to employees reported by employers in 2016/17

Source: RIDDOR



Work-related musculoskeletal disorder cases (new or longstanding) in 2016/17

Source: Estimates based on self-reports from the Labour Force Survey, people who worked in the last 12 months



Fatal injuries to workers in 2016/17
Source: RIDDOR



9.7 billion

Annual costs of new cases of work-related ill health in 2015/16, excluding long latency illness such as cancer

Source: Estimates based on HSE Costs to Britain Model



Annual costs of workplace injury in 2015/16

Source: Estimates based on HSE Costs to Britain Model



Working days lost due to workrelated ill health and non-fatal workplace injuries in 2016/17

Source: Estimates based on self-reports from the Labour Force Survey



Lung disease deaths each year estimated to be linked to past exposures at work

Source: Counts from death certificates and estimates from epidemiological information



Mesothelioma deaths in 2015, with a similar number of lung cancer deaths linked to past exposures to asbestos

Source: Death certificates



Annual costs of work-related injury and new cases of ill health in 2015/16, excluding long latency illness such as cancer

Source: Estimates based on HSE Costs to Britain Model

6000

5000

4000 3000

2000

1000

0

2001/02

Shaded area represents a

95% confidence interval



Work-related ill health

1.3 million

Workers suffering from work-related ill health (new or long-standing) in 2016/17


516,000 Workers suffering from a new case of work-related ill health in 2016/17

25.7 million


Working days lost due to work-related ill health in 2016/17

Deaths each vear estimated to be linked to past exposure at work, primarily to chemicals or dust

New and long-standing cases of work-related ill health by type, 2016/17



Working days lost by type of ill health, 2016/17



The rate of workrelated ill health showed a generally downward trend to around 2011/12: more recently the rate has been broadly flat.

Working days lost per worker due to workrelated ill health showed a generally downward trend up to around 2010/11: since then the rate has remained broadly flat.

Estimates of ill health proportions estimated to be linked to work.


To find out the story

behind the key figures,

visit www.hse.gov.uk/

statistics/causdis

based on Labour Force Survey (LFS) self-reports and deaths based on



2011/12 No ill health data was collected in 2002/03 and 2012/13, represented by a dashed line

Work-related ill health per 100,000 workers: new and long-standing



Key facts

Work-related stress, depression or anxiety

526,000

III health

Injury


Workers suffering from work-related stress, depression or anxiety (new or long-standing) in 2016/17

236,000


Workers suffering from a new case of workrelated stress, depression or anxiety in 2016/17

12.5 million


Working days lost due to work-related stress, depression or anxiety in 2016/17 Stress, depression or anxiety by cause, averaged 2009/10-2011/12



Industries with higher than average rates of stress, depression or anxiety, 2014/15–2016/17



Stress, depression or anxiety per 100,000 workers: new and long-standing



- The rate of self-reported work-related stress, depression or anxiety has remained broadly flat but has shown some fluctuations. A similar picture was observed for working days lost.
- Working days lost due to stress, depression or anxiety accounted for 49% of all working days lost due to ill health in 2016/17.

Estimates of work-related stress, depression or anxiety based on selfreports from the Labour Force Survey (LFS)

To find out the story behind the key figures, visit www.hse.gov.uk/ statistics/causdis/stress


Work-related musculoskeletal disorders

507,000
Workers suffering
from work-related
musculoskeletal
disorders (new or longstanding) in 2016/17


159,000
Workers suffering from a new case of work-related musculoskeletal disorder in 2016/17

Working days lost due to work-related musculoskeletal disorders in 2016/17


Musculoskeletal disorders by affected area, 2016/17



Industries with higher than average rates of musculoskeletal disorders, averaged 2014/15-2016/17



Musculoskeletal disorders per 100,000 workers: new and long-standing



page 5 of 13

- The rate of selfreported work-related musculoskeletal disorders has shown a generally downward trend.
- Working days lost per worker showed a generally downward trend up to around 2010/11; since then the rate has remained broadly flat.
- Manual handling, awkward or tiring positions and keyboard work or repetitive action are estimated to be the main causes of work-related musculoskeletal disorders.

Estimates of work-related musculoskeletal disorders based on self-reports from the Labour Force Survey (LFS)

To find out the story behind the key figures, visit www.hse.gov.uk/statistics/causdis/musculoskeletal/

Key facts


Occupational lung disease

12,000 Luna disease deaths each year estimated to be linked to past exposures at work


Mesothelioma deaths in 2015, with a similar number of lung cancer deaths linked to past exposures to asbestos

Estimated new cases of breathing or lung problems caused or made worse by work each year on average over the last three years according to self-reports from the **Labour Force Survey**


Lung diseases contributing to estimated current annual deaths



Occupational asthma; causal agents most commonly reported by chest physicians during 2012-2016



Mesothelioma in Great Britain: annual actual and predicted deaths



- There are projected to be around 2.500 mesothelioma deaths per year for the rest of the decade before numbers beain to decline.
- There are an estimated 200-300 new cases of occupational asthma seen by chest physicians each year, with no change over the last decade.
- Occupational lung diseases account for around 12.000 of the 13.000 total deaths estimated to be linked to past exposures at work.

To find out the story behind the key figures, visit www.hse.gov.uk/ statistics/causdis/ respiratory-diseases

175.000

absence



Key facts

Workplace injury


Workers killed at work in 2016/17

Estimated non-fatal injuries to workers according to self-reports from the Labour Force Survey in 2016/17


70,116 **Employee non-fatal** injuries reported by employers under RIDDOR in 2016/17

5.5 million Estimated working days lost due to nonfatal workplace injuries according to self-reports from the Labour Force Survey in 2016/17

Estimated self-reported non-fatal injuries 2016/17 Non-fatal injuries to employees by main accident kinds (as reported by employers), 2016/17



Estimated self-reported workplace non-fatal injury per 100,000 workers



- There has been a long term downward trend in the rate of fatal injury, with indications of levelling off in recent vears.
- The rate of self-reported non-fatal injury to workers showed a downward trend up to 2010/11; since then the rate has been broadly flat.
- The rate of non-fatal. injury to employees reported by employers also shows a long-term downward trend, which has continued in more recent years. Reporting is known to be incomplete and may be distorting the trend.

To find out the story behind the key figures, visit www.hse.gov.uk/ statistics/causinj/index



Key facts

Costs to Britain

§14.9billion

Annual costs of workrelated injury and ill health in 2015/16, excluding long latency illness such as cancer

§9.7billion


Annual costs of new cases of work-related ill health in 2015/16, excluding long latency illness such as cancer

5.3billion


Annual costs of workplace injury in 2015/16

Estimates based on Labour Force Survey and RIDDOR for 2014/15-2016/17, and HSE Costs to Britain Model





Costs to Britain of workplace injuries and new cases of work-related ill health (£ billion, 2015 prices)



page 8 of 13

- Total costs showed a downward trend between 2004/05 and 2009/10; this fall was driven by a reduction in the number of workplace injuries. Since then, the annual cost has been broadly level.
- Total costs include financial costs and human costs. Financial costs cover loss of output, healthcare costs and other payments made. Human costs are the monetary valuation given to pain, grief, suffering and loss of life.


To find out the story behind the key figures, visit www.hse.gov.uk/ statistics/cost/

research on the costs of work-related cancer.
See www.hse.gov.uk/research/rrhtm/rr1074

Sources




Rate of self-reported work-related ill health and non-fatal injury by industry




- Industries with ill health rates statistically significantly higher than the rate for all industries were Human health and social work activities. Agriculture, forestry and fishing, Public administration and defence and Education.
- Agriculture, forestry and fishing, Construction, Transport and storage, Accommodation and food services, Public administration and defence and Wholesale and retail trade had statistically significantly higher injury rates than for all industries.


To find out the story behind the key figures, visit www.hse.gov.uk/ statistics/industry

European comparisons






Self-reported work-related injuries resulting in sick leave (EU Labour Force Survey 2013)



Self-reported work-related health problems resulting in sick leave (EU Labour Force Survey 2013)



- The UK consistently has one of the lowest standardised rates of fatal injury across the EU, lower than other large economies and the EU average.
- Non-fatal injuries in the UK were at a similar level to other large economies in 2013.
- UK rates of work-related ill health resulting in sick leave were lower than most other EU countries.

To find out the story behind the key figures, visit www.hse.gov.uk/ statistics/european


page 10 of 13

Cases prosecuted, or referred to COPFS for prosecution in Scotland, by HSE where a conviction was achieved in 2016/17


Notices issued by all enforcing bodies in 2016/17

In fines resulting from prosecutions taken, or referred to COPFS for prosecution in Scotland, by HSE where a conviction was achieved in 2016/17


Prosecution cases brought by HSE and, in Scotland, COPFS



Enforcement notices issued by local authorities and HSE



Total fines for health and safety offences prosecuted by HSE and, in Scotland, the Crown Office and Procurator Fiscal Service (COPFS) (£million)



- This year has seen a fall in the number of cases prosecuted following several years of an upward trend.
- The number of notices issued by all enforcing bodies rose this year following several years of a downward trend.
- This is the first full year where new sentencing guidelines have been in effect. Under these guidelines the fine is related to the turnover of organisations and, as a result, large organisations convicted of offences are receiving larger fines than seen prior to these guidelines.

To find out the story behind the key figures, visit www.hse.gov.uk/ statistics/enforcement



Injury

The Labour Force Survey (LFS)

The LFS is a national survey run by the Office for National Statistics. Currently around 37,000 households are surveyed each quarter. HSE commissions annual questions in the LFS to gain a view of self-reported work-related illness and workplace injury based on individuals' perceptions. The analysis and interpretation of the data are the sole responsibility of HSE.

The Reporting of Injuries, Diseases and Dangerous Occurrences Regulations (RIDDOR)

Requirements under which fatal, over-sevenday and specified non-fatal injuries to workers are reported by employers.

Specialist physician and general practitioner reporting (THOR)

Cases of work-related respiratory and skin disease are reported by specialist physicians within The Health and Occupation Research network (THOR).

Death Certificates

Some occupational lung diseases, including the asbestos-related diseases mesothelioma and asbestosis, can be identified from the recorded cause of death.

Enforcement

The enforcing authorities are HSE, local authorities and, in Scotland, The Crown Office and Procurator Fiscal Service (COPFS). In Scotland, HSE and local authorities investigate potential offences but cannot institute legal proceedings and the COPFS makes the final decision on whether to institute legal proceedings and which offences are taken.

HSE Costs to Britain Model

Developed to estimate the economic costs of injury and new cases of ill health arising largely from current working conditions.

The economic cost estimate includes both financial and human costs.

Eurostat

Eurostat (the statistical section of the European Commission) publishes data on fatal accidents at work. Fatality rates are standardised to take account of the different industrial structure of employment across European Union member states, and exclude road traffic accidents and accidents on board of any mean of transport in the course of work.

European Labour Force Survey (EU-LFS)

A large household survey carried out in the Member States of the European Union. In 2013 the EU-LFS included an ad-hoc module asking about accidents at work and work-related health problems in the previous 12 months.

More information about our data sources can be found at www.hse.gov.uk/statistics/sources Rate per 100,000 The number of annual injuries or cases of ill health per 100,000 employees or workers, either overall or for a particular industry.

95% confidence Interval The range of values which we are 95% confident contains the true value, in the absence of bias. This reflects the potential error that results from surveying a sample rather than the entire population.

Statistical Significance A difference between two sample estimates is described as 'statistically significant' if there is a less than 5% chance that it is due to sampling error alone.

Standard Industrial Classification (SIC)

the system used in UK official statistics for classifying business by the type of activity they are engaged in. The current version is SIC 2007. Industry estimates presented here are at SIC Section level.

National Statistics

The LFS, RIDDOR, deaths from occupational lung disease, THOR, enforcement and Costs to Britain figures in this report are National Statistics.

National Statistics are produced to high professional standards set out in the National Statistics Code of Practice. They undergo regular quality assurance reviews to ensure that they meet customer needs. They are produced free from any political interference.

HSE Chief Statistician Alan Spence Contact alan.spence@hse.gov.uk Last updated November 2017 Next update October 2018

More information about our data sources can be found at www.hse.gov.uk/ statistics/sources

HSE's statistics revisions policy can be seen at www.hse.gov.uk/statistics/about/ revisions/index

Data tables can be found at www.hse.gov.uk/statistics/tables/

For information regarding the quality guidelines used for statistics within HSE see www.hse.gov.uk/statistics/about/ quality-quidelines